

#### ASSEMBLY INSTRUCTIONS

## KIT QDC-DXP® FOR SEEDER WITH PLOUGHSAHRES

Using a QDC-DXP<sup>®</sup> diffuser means you optimise the effectiveness of your microgranules and the protection of your sowing!

To best protect your sowing, the microgranules must be properly placed around the seed over the entire depth of the sowing using a QDC-DXP<sup>®</sup> diffuser.

To do that, it is essential to fit a diffuser to the microgranulator chute and to install it according to your brand and type of shoe or coulter drill.

Diffuser assembly kits - QDC-DXP®- with their installation instructions are available from your microgranule supplier.

Follow the installation instructions to get the best out of your microgranule.



# (Maize, Sunflower, Sorghum)

A fine seed bed preparation is important to guarantee even microgranule distribution over the entire seed bed profile (see diagram below). Coarse preparations and sowing too deep should be banned as they prevent the creation of an effective protective barrier with your microgranules around the seed. The best results are obtained with a 4 cm sowing depth.

If in doubt, contact your dealer.



A PRODUCT FOR PROFESSIONAL USE: RESPECT THE USE CONDITIONS

### QDC-DXP<sup>®</sup>-JD DIFFUSER ASSEMBLY

## JOHN DEERE | MAX EMERGE



≽

Kit

Components

To assemble the diffuser, you must order the **QDC-DXP®JD** kit.

Please refer to the pictures of the components supplied with the kit and to the tools needed to assemble these components on your seeder.

#### Assembly

- The seeder with the micro granular insecticide design has a flexible microgranule tube for each seeding unit. They can be purchased as spare parts from your John Deere distributor. Item number A37494 - **Picture 1**
- Install the John Deere holder supplied in the kit **Pictures** 2 & 3
- Put the John Deere drop tube into the rubber tube and fix it with the clamp - **Picture** 4
- The assembly will be installed in the hole provided for this purpose on the rear part of the of the seeder -**Picture 5** - And then in the holder beforehand installed - **Picture 6**
- Assemble the QDC-DXP<sup>®</sup>-JD diffuser and secure it to the rubber tube using the clamp - **Picture** 7 8 & 9
- Place and center the QDC-DXP®-JD diffuser vertically and in line with the sowing furrow - **Pictures** 9 10 & 11
- If necessary, the diffuser height can be adjusted by shortening the flexible rubber tube.
- Check the condition of your diffusers, their positioning and fixing after a few hours of operation and more generally throughout your seeding campaign.



#### **TECHNICAL TEAMS AT YOUR SERVICE**



WEBSITE www.kits-sav.com



EMAIL ADDRESS kits.sav@sbm-company.com



HOTLINE + 33 (0) 6 72 40 94 31